



Designed for workers, joggers and wanderers

Once again, the most versatile vending machine of all times has just outdid itself. Now available with top-notch touch screen display designed for quick and multi-purchasing operations, G-Snack Touch Outdoor represents a safe, smart and innovative choice for satisfying large array of customers needs.

From drinks and edibles of all sorts, including freshly harvested products for a healthy lunch in the park or a last-minute family picnic, G-Snack Touch Outdoor can accommodate a broad variety of products including Extra Vending items such as protection materials, hi-tech devices or pet food: you decide!

STX OD

G-Snack Ten (X) Touch Outdoor

| TECHNICAL SPECIFICATIONS | STX OD |
|---|---|
| DIMENSIONS H x W x D (mm) | 1900 x 1200 x 1010 |
| WEIGHT (NET - Standard machine without options) | 400 kg |
| NO. OF SELECTIONS PER SHELF | 10 |
| NO. OF SHELVES | Standard 6 / max. 7 |
| NO. OF SELECTIONS | max. 70 |
| DISPLAY | 7" Touch Screen |
| PROTOCOL | Executive / MDB |
| COOLING SYSTEM CONTROL | Electronic |
| COOLING UNIT | HC2 |
| INTERNAL TEMPERATURE RANGE | +2°C up to +18°C |
| AMBIENT TEMPERATURE RANGE | -15°C up to +32°C |
| MAX. POWER CONSUMPTION | 540 W |
| POWER SUPPLY | 230/240 V - 50/60 Hz |
| ENERGY CLASS | F (Cat. 2) F (Cat. 3) F (Cat. 4) |
| ENERGY CONSUMPTION - kWh/annum | 1718 (Cat. 2) 2479 (Cat. 3) 2443 (Cat. 4) |



Designed for workers, joggers and wanderers

Once again, the most versatile vending machine of all times has just outdid itself. Now available with top-notch touch screen display designed for quick and multi-purchasing operations, G-Snack Touch Outdoor represents a safe, smart and innovative choice for satisfying large array of customers needs.

From drinks and edibles of all sorts, including freshly harvested products for a healthy lunch in the park or a last-minute family picnic, G-Snack Touch Outdoor can accommodate a broad variety of products including Extra Vending items such as protection materials, hi-tech devices or pet food: you decide!

ST8 OD

G-Snack Eight (VIII) Touch Outdoor

| TECHNICAL SPECIFICATIONS | ST8 OD |
|---|---|
| DIMENSIONS H x W x D (mm) | 1900 x 1030 x 1010 |
| WEIGHT (NET - Standard machine without options) | 350 Kg |
| NO. OF SELECTIONS PER SHELF | 8 |
| NO. OF SHELVES | Standard 6 / max. 7 |
| NO. OF SELECTIONS | max. 56 |
| DISPLAY | 7" Touch Screen |
| PROTOCOL | Executive / MDB |
| COOLING SYSTEM CONTROL | Electronic |
| COOLING UNIT | HC2 |
| INTERNAL TEMPERATURE RANGE | +2°C up to +18°C |
| AMBIENT TEMPERATURE RANGE | -15°C up to +32°C |
| MAX. POWER CONSUMPTION | 540 W |
| POWER SUPPLY | 230/240 V - 50/60 Hz |
| ENERGY CLASS | E (Cat. 2) F (Cat. 3) F (Cat. 4) |
| ENERGY CONSUMPTION - kWh/annum | 1492 (Cat. 2) 2151 (Cat. 3) 2122 (Cat. 4) |



Designed for workers, joggers and wanderers

Once again, the most versatile vending machine of all times has just outdid itself. Now available with top-notch touch screen display designed for quick and multi-purchasing operations, G-Snack Touch Outdoor represents a safe, smart and innovative choice for satisfying large array of customers needs.

From drinks and edibles of all sorts, including freshly harvested products for a healthy lunch in the park or a last-minute family picnic, G-Snack Touch Outdoor can accommodate a broad variety of products including Extra Vending items such as protection materials, hi-tech devices or pet food: you decide!

ST6 OD

G-Snack Six (VI) Touch Outdoor

| TECHNICAL SPECIFICATIONS | ST6 OD |
|---|---|
| DIMENSIONS H x W x D (mm) | 1900 x 890 x 1010 |
| WEIGHT (NET - Standard machine without options) | 325 kg |
| NO. OF SELECTIONS PER SHELF | 6 |
| NO. OF SHELVES | Standard 6 / max. 7 |
| NO. OF SELECTIONS | max. 42 |
| DISPLAY | 7" Touch Screen |
| PROTOCOL | Executive / MDB |
| COOLING SYSTEM CONTROL | Electronic |
| COOLING UNIT | HC |
| INTERNAL TEMPERATURE RANGE | +2°C up to +18°C |
| AMBIENT TEMPERATURE RANGE | -15°C up to +32°C |
| MAX. POWER CONSUMPTION | 540 W |
| POWER SUPPLY | 230/240 V - 50/60 Hz |
| ENERGY CLASS | F (Cat. 2) F (Cat. 3) E (Cat. 4) |
| ENERGY CONSUMPTION - kWh/annum | 1693 (Cat. 2) 2200 (Cat. 3) 1703 (Cat. 4) |